Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5574849".pn. and link	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 09:44
L2	1	"5574849".pn. and link with (command or symbol$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 09:44
S1	4	"6771192".pn. or "6512408".pn. or "6510185".pn. or "6587525".pn.	USPAT	OR	ON	2005/01/11 16:07
S2	4	("6771192".pn. or "6512408".pn. or "6510185".pn. or "6587525".pn.) and control	USPAT	OR	ON	2005/01/11 16:07
S3	2	S2 and sync$8	USPAT	OR	ON	2005/01/11 16:08
S5	1	S3 and idle with symbol$	USPAT	OR	ON	2005/01/11 16:08
S6	3	("4658396" | "5588025" | "6438128").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:23
S7	0	(("4658396" | "5588025" | "6438128").PN.) and primit$6	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:23
S8	0	(("4658396" | "5588025" | "6438128").PN.) and (in adj3 band or in-band or inband)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:24
S9	2	(("4658396" | "5588025" | "6438128").PN.) and band$	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:17
S10	2	"20030227947".pn. and $band	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:51
S11	182	primitiv$3 with symbol$1 and sync$12	US-PGPUB; USPAT	OR	ON	2005/01/12 08:38
S12	16	S11 and idle adj3 symbol$4	US-PGPUB; USPAT	OR	ON	2005/01/12 08:38
S13	1	S12 and silicon.as.	US-PGPUB; USPAT	OR	ON	2005/01/12 08:38
S14	3	("4658396" | "5588025" | "6438128").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:39
S15	0	("4658396" | "5588025" | "6438128").PN. and SAN	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:39

S16	2	("4658396" | "5588025" | "6438128").PN. and storage	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:42
S17	2	("4658396" | "5588025" | "6438128").PN. and switch$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:40
S18	2	("4658396" | "5588025" | "6438128").PN. and storage and $synch$11	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:44
S19	0	("4658396" | "5588025" | "6438128").PN. and storage and $synch$11 and idle	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:44
S20	0	("4658396" | "5588025" | "6438128").PN. and storage and $synch$11 and idl$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:44
S21	1	("4658396" | "5588025" | "6438128").PN. and storage and $synch$11 and symbol$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:44
S22	1	"20030227947".pn. and primitive and disparity	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:13
S23	12	(stop with start with packet$1 with symbol$1) and (transport or network) and (link or mac) and layer$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:26
S24	41	(begin$7 with end$5 with (packet$1 or frame$1) with symbol$1) and (transport or network) and (link or mac) and layer$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:49
S25	41	S24 not S23	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:27
S26	19	S24 not S23	USPAT	OR	ON	2005/01/12 10:27
S27	27	((begin$7 or start$3) with (end$5 or stop$4) with (packet$1 or frame$1) with symbol$1) same sync$12 and (link or mac) and layer$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:51
S28	9	S27 and (intrafram$ or intra$7)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:56

S29	2	"5574849".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:17
S30	1	"5574849".pn. and stop	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:25
S31	56	370/528.ccls. and control adj2 info$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:49
S32	226	370/528.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:26
S33	65	370/528.ccls. and storage	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:27
S34	55	370/528.ccls. and storage	USPAT	OR	ON	2005/01/12 14:38
S35	18	370/528.ccls. and san	USPAT	OR	ON	2005/01/12 14:38
S36	1	"20030227947".pn. and $contiguous$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:44
S37	1	"6154456".pn. and stop$4 and $start$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:47
S38	0	370/528.ccls. and control adj2 info$ and Storage near20 network and symbol$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:39
S39	186	control adj2 info$ and Storage near20 network and symbol$ and "370".clas.	USPAT	OR	ON	2005/01/12 16:14
S40	0	S39 and 370/528.ccls.	USPAT	OR	ON	2005/01/12 14:53
S41	47	S39 and san	USPAT	OR	ON	2005/01/12 14:53
S42	4	S41 and primitive	USPAT	OR	ON	2005/01/12 15:08
S44	1	S41 and insert$3 with (start or stop or idle) with symbol$1	USPAT	OR	ON	2005/01/12 15:35

S45	988	control adj2 info$ and Storage near20 network and symbol$	USPAT	OR	ON	2005/01/12 15:35
S46	0	S44 and insert$3 with (start or stop or idle) with symbol$1 same stop$4 adj10 transmi$8 and SAN	USPAT	OR	ON	2005/01/12 15:37
S47	0	S44 and insert$3 with (start or stop or idle) with symbol$1 same stop$4 adj10 transmi$8	USPAT	OR	ON	2005/01/12 15:37
S48	1	S44 and insert$3 with (start or stop or idle) with symbol$1 and stop$4 adj10 transmi$8	USPAT	OR	ON	2005/01/12 15:55
S49	1	S44 and insert$3 with (start or stop or idle) with symbol$1 and start$4 adj10 (transmi$8 or retransmit$8 or re-transmit$8)	USPAT	OR	ON	2005/01/12 15:38
S52	2	370/528.ccls. and control adj2 info$ and Storage near3 switch$3 and symbol$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:51
S53	0	"6438128".pn. and symbol$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:51
S54	1	"6438128".pn. and control$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:52
S55	0	"6438128".pn. and control$ and stop$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:52
S56	0	"6438128".pn. and control$ and retransmit$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:53
S58	1	"6438128".pn. and control$ and transmi$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:53
S59	16	S45 and insert$3 with (start or stop or idle or control$4) with symbol$1 and stop$4 adj10 transmi$8	USPAT	OR	ON	2005/01/12 16:16

S60	16	S59 and retransmi$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:56
S61	180	control$4 adj8 messag$7 and Storage near20 network and symbol$ and "370".clas.	USPAT	OR	ON	2005/01/12 16:15
S62	867	control$4 adj8 messag$7 and Storage near20 network and symbol$	USPAT	OR	ON	2005/01/12 16:15
S63	5	S61 and insert$3 with (start or stop or idle or control$4) with symbol$1 and stop$4 adj10 transmi$8	USPAT	OR	ON	2005/01/12 16:16
S64	16	S62 and insert$3 with (start or stop or idle or control$4) with symbol$1 and stop$4 adj10 transmi$8	USPAT	OR	ON	2005/01/12 16:54
S66	0	"6707822".pn. and idle and stop	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:58
S67	0	"6707822".pn. and idle and interrup$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:54
S68	0	"6707822".pn. and idle	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:55
S69	0	"6707822".pn. and idl$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:55
S70	3	"6707822".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:55
S71	0	"6707822".pn. and idle	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:55

S76	87	control same xon same xoff and symbol$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:37
S77	59	control same xon same xoff and symbol$	USPAT	OR	ON	2005/01/12 17:33
S78	3	S77 and idle with symbol$	USPAT	OR	ON	2005/01/12 17:20
S79	1	"5574849".pn. and ready	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:53
S80	1	"5574849".pn. and ready same transmi$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 17:27
S81	157	(start$3 or resum$3 or ready) same (stop$4 or inhibit$3 or halt$3 or throttl$3 or busy) same interrupt$3 same packet same (transm$10 or send$3)	USPAT	OR	ON	2005/01/12 18:25
S82	68	S81 and (backpressure or flow adj control)	USPAT	OR	ON	2005/01/12 17:36
S83	1638	(start$3 or resum$3 or ready) same (stop$4 or inhibit$3 or halt$3 or throttl$3 or busy) same packet same (transm$10 or send$3)	USPAT	OR	ON	2005/01/12 18:09
S84	1553	S83 and @ad<="20001122"	USPAT	OR	ON	2005/01/12 18:10
S85	88	S84 and 370/229-235.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 17:46
S86	879	(start$3 or resum$3 or ready or stop$4 or inhibit$3 or halt$3 or throttl$3 or pause or busy) with packet with (transm$10 or send$3) and congest$3	USPAT	OR	ON	2005/01/12 18:15
S87	821	S86 and @ad<="20001122"	USPAT	OR	ON	2005/01/12 18:16
S88	458	S87 and flow near3 control	USPAT	OR	ON	2005/01/12 18:10
S89	400	S87 and flow adj2 control	USPAT	OR	ON	2005/01/12 18:10
S90	388	S87 and flow adj control	USPAT	OR	ON	2005/01/12 18:11
S91	23	S87 and flow adj control and xon and xoff	USPAT	OR	ON	2005/01/12 18:16

S92	430	(start$3 or resum$3 or ready or stop$4 or inhibit$3 or halt$3 or throttl$3 or pause or busy) with packet with (transmitting or sending) and congest$3	USPAT	OR	ON	2005/01/12 18:16
S93	405	S92 and @ad<="20001122"	USPAT	OR	ON	2005/01/12 18:16
S94	21	S93 and flow adj control and xon and xoff	USPAT	OR	ON	2005/01/12 18:16
S95	68	S81 and ring	USPAT	OR	ON	2005/01/12 18:25
S96	27	flow near5 control$4 same xon same xoff and symbol$ and full near3 duplex$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:38
S97	26	S96 and (stop$4 or start$3 or restart$3 or re-start$3 or interrup$) with transmi$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:40
S98	14	S97 and storage and switch$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:17
S99	1	"5574849".pn. and interrupt$ with packet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:20
S100	2	("6157967".pn. or "5243596".pn.) and interrupt$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:20
S101	0	"20030227947".pn. and intra$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:44
S102	101	symbol$1 with disparity	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:49
S103	38	symbol$1 with disparity	USPAT	OR	ON	2005/01/13 14:49
S104	5	symbol$1 with disparity and "370". clas.	USPAT	OR	ON	2005/01/13 14:49

S10 5		1	"5574849".pn. and $parity	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:14
S10 6		2	"20030227947".pn. and storage with device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:14
S10 8		1	"5574849".pn. and storage with device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON '	2005/01/13 16:21
S10 9		1	"5574849".pn. and receiv$ same interrupt$ with packet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:22
S11 1		1	"5574849".pn. and receiv$ same interrupt$ with packet same Fill near6 symbol same busy near6 symbol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:27
S11 2		1	"5574849".pn. and receiv$ with packet same halt$ with packet same Fill near6 symbol same busy near6 symbol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 09:43
S11 3		1	"5574849".pn. and receiv$ with packet same stop$ with packet same Fill near6 symbol same busy near6 symbol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:29
S11 4		1	"20030227947".pn. and receiv$3 with portion	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 09:43